





PRODUCT GUIDE

TOTAL PACKAGING SOLUTIONS

Table of Contents

Roll Stock Films
Meal and School Lunch Trays 4
Fruit/Vegetable Cup and Salad/Bun Trays 5
Utility and Reimbursable Meal Pack Trays 6
Ovenable CPET Trays 7
Sandwich Wedge, Hot Dog and Hoagie 8
Medium and Large Entrée Platters 9
Heat Seal and Support Equipment10-15

Preferred Packaging

770-416-0088 770-416-0095 fax sales@prefpkg.com

prefpkg.com osmachines.com Preferred Packaging is a manufacturer of multilayer flexible films, thermoformed containers, and a supplier of tray sealing equipment for meal solution providers, senior nutrition programs, and school systems.

We deliver reliable, high-quality packaging solutions that protect food integrity and streamline meal prep.









Roll Stock Films

Our inventory of various film types and a full range of converting equipment allows us to maintain our quality service and quick turnaround commitment to our customers.

Affirm™ Lidding Films

Films that seal to all material, including PP, CPET, APET, PS and coated paperboard. Seal strength can vary from easy peel to weld seal.

Dual-Ovenable Films

These films are perfect for the packaging of any application that needs to be heated in an oven or microwave.

Anti-Fog Films

Films treated to stay clear under heat, high moisture, or refrigerated conditions.

Vertical and Horizontal Form Fill and Seal Films

Our roll stock for VFFS and HFFS applications is fully customizable.

Polypropylene (BOPP) and Polyester Overwrap Films

Our PP and PE high speed overwrap films are available in a full range of thicknesses.

Custom In-House Printing and Lamination

We specialize in custom printed films up to "8" colors to cover just about every tray application imaginable including ovenable overwrap. We can surface print or reverse printed film "buried" within a protective laminate layer.

Barrier Films

Our specialized films have the ability to provide different barrier levels to achieve the OTR and WVTR to meet your needs.

Perforated Films

Laser perforations to adjust OTR to extend the shelf-life of your freshcut produce, by properly controlling the release of CO₂ and the entry of O₂ into the package.

Hot pin for moisture evacuation to maintain crispness.

Specialty Films

Available in clear, white or metalized. We also offer Retortable and HPP applications. These films can be sealed to CPET, APET, PP, PS, PVC or paperboard substrates.

Peel & Reseal Film

Resealable lidding designed for easy-open functionality and multiple uses. Maintains product freshness while supporting consumer convenience











Meal and School Lunch Trays

FINA Food Trays



I-312 Insert (NT275 & NT312 only) 3 oz. Capacity Per Compartment **Four Compartment Condiment** Salad/ School Lunch Tray

Size: 6-1/2" L x 5" W x 1-1/16" D Colors: Clear

Wt. Cube Count 1200 ea. 13 lbs. 2.17



275-1 Insert (NT275 & NT312 only) Three 3 oz. Capacity **Compartment Condiment Salad/ School**

Lunch Tray

Size: 6-1/2" L x 5" W x 1" D Colors: Clear

Wt. Cube Count 17 lbs. 1000 ea. 1.92

NT-4C (Film Sealable) Snack/ Lunchable Tray

4 oz. Capacity Per Compartment Size: 6-1/2" L x 5" W x 1-7/16" D Colors: Clear

Wt Cube

Count 17 lbs. 2.30 500 ea.

> NT312 with the I-312 **Condiment Insert**

















NT100 18 oz. Capacity One Compartment Salad/ **School Lunch Tray**

Size: 6-1/2" L x 5" W x 1-5/8" D Colors: Clear

Wt. Cube Count 17 lbs. 2.30 500 ea.

NT150 24 oz. Capacity One Compartment Salad/ School

Lunch Tray Size: 6-1/2" L x 5" W x 2-1/8" D Colors: Clear

\//t Cube Count 17 lbs. 2.30 500 ea.

15 oz./4 oz. Capacity Two Compartment Salad/ School **Lunch Tray**

Size: 6-1/2" L x 5" W x 1-7/8" D Colors: Clear

Wt. Cube Count 17 lbs. 2.30 500 ea.

NT275 30 oz. Capacity One Compartment Salad/ School

Size: 6-1/2" L x 5" W x 2-3/4" D Colors: Clear

Wt. Cube Count 500 ea. 14 lbs. 2.30

NT312 35 oz. Capacity One Compartment Salad/ School **Lunch Tray**

Size: 6-1/2" L x 5" W x 3-1/8" D Colors: Clear

Cube Wt. Count

34 lbs. 4.63 1200 ea.

NT100-MW (High Heat) 16 oz. Capacity One Compartment Salad/ School **Lunch Tray** Size: 6-1/2" L x 5" W x 1-1/2" D

Colors: Black "Microwavable"

Cube Count 12 lbs. 2.17 500 ea.

NT140-MW (High Heat) 21 oz. Capacity One Compartment Salad/ School **Lunch Tray**

Size: 6-1/2" L x 5" W x 1-7/8" D Colors: Black "Microwavable"

Wt. Cube Count 12 lbs. 2.17 500 ea.

NT130-2HB MW (High Heat) 11 oz./6 oz. Capacity Two Compartment Salad/ School **Lunch Tray**

Size: 6-1/2" L x 5" W x 1-3/4" D Colors: Black "Microwavable"

Wt. Cube Count 13 lbs. 2.17 500 ea.

Fruit Cup and Vegetable Portion Trays



D72 4 oz. Dessert/ Portion Tray Size: 3-1/2" L x 3-1/2" W x 1" D

Colors: Clear

Wt. Cube Count 15 lbs. 2.06 2000 ea.



6.5 oz. Dessert/ Portion Tray Size: 3-1/2" L x 3-1/2" W x 1-3/4" D

Colors: Clear

Cube Wt. Count 20 lbs. 2000 ea.



8 oz. Dessert/ Portion Tray

Size: 3-1/2" L x 3-1/2" W x 2-3/4" D

Colors: Clear

Wt. Cube Count 13 lbs. 2.74 1440 ea.



9 lbs. 1.58 1000 ea.



D74-MWBLK (High Heat) 6.5 oz. Dessert/ Portion Tray

Size: 3-1/2" L x 3-1/2" W x 1-3/4" D Colors: Black "Microwavable"

Wt. Cube Count 1000 ea. 12 lbs. 2.74

Side Salads, Bun and Dessert Trays



10 oz. Salad/ Dessert Tray

Size: 4-5/8" L x 4-5/8" W x 1-3/8" D

Colors: Clear

W† Cube Count 16 lbs. 2.75 1000 ea.



SB5R-HD

16 oz. Salad/ Bun/ Dessert Tray

Size: 4-5/8" L x 4-5/8" W x 2-1/2" D Colors: Clear

Wt. Cube Count 17 lbs. 1000 ea. 2.20



14 oz. Salad/ Bun/ Dessert Tray

Size: 4-5/8" L x 4-5/8" W x 2" D

Colors: Clear

Wt. Cube Count 16 lbs. 2.20 1000 ea.



32 oz. Chef Salad/ Hamburger Tray

Size: 5-1/2" L x 5-1/2" W x 2-1/2" D

Colors: Clear

Special Order-MOQ 100 Cases

Wt Cube Count 500 ea. 13 lbs. 3.99



SB3R-HD

18 oz. Salad/ Bun/ Dessert Tray

Size: 4-5/8" L x 4-5/8" W x 2-3/4" D

Cube Count 17 lbs. 2.20 1000 ea.



SB2RHD-MW (High Heat) 14 oz. Salad/ Bun/ Dessert Tray Size: 4-5/8" L x 4-5/8" W x 2" D

Colors: Black "Microwavable"

Cube Wt. Count 16 lbs. 2.20 1000 ea.



Reimbursable Meal Packs/Utility Trays

FINA Food Trays











SL64 55 oz. Capacity One Compartment Utility/ School Cold Pack Tray

Size: 9-1/4" L x 7-1/16" W x 2-3/8" D Colors: Clear, Black

Wt. Cube Count 26 lbs. 4.63 500 ea.

SL71*
55 oz./25 oz. Capacity
Utility/School Cold Pack Tray, One
Compartment Deep (Clear)
Size: 9-1/4" L x 7-1/16" W x 3-1/2" D

Special Order-MOQ 100 Cases

Colors: Clear

Wt. Cube Count 26 lbs. 4.63 500 ea.

SL78 80 oz. Capacity One Compartment Utility/ School Cold Pack Tray

Size: 9-1/4" L x 7-1/16" W x 3-1/2" D Colors: Clear

Wt. Cube Count

26 lbs. 4.63 500 ea. **SL1065-26***

55 oz. Capacity One Compartment School Lunch TraySize: 9-3/4" L x 6-1/2" W x 2-1/2" D

Size: 9-3/4" L x 6-1/2" W x 2-1/2" D Colors: Clear

Special Order-MOQ 100 Cases

Wt. Cube Count 26 lbs. 4.63 500 ea.

SL1065-26-2C* 40 oz./16 oz. Capacity Two Compartment School Lunch Tray

Size: 9-3/4" L x 6-1/2" W x 2-1/2" D

Colors: Clear

Special Order-MOQ 100 Cases

Wt. Cube Count 26 lbs. 4.63 500 ea.



Microwavable Meal Tray

SL8565-15-3MW (High Heat) Three Compartment Salad/School Lunch Tray 15.9 oz./4.1 oz./4.1 oz. Capacity

Size: 8-7/16" L x 6-3/8" W x 1.5" D Colors: Black "Microwavable"

Special Order-MOQ 25 Cases

Wt. Cube Count 24 lbs. 2.83 500 ea.



SL8565-19-3MW (High Heat) Three Compartment Salad/School Lunch Tray

19.8 oz./5.1 oz./5.1 oz. CapacitySize: 8-7/16" L x 6-3/8" W x 1.9" D
Colors: Black "Microwavable"

Special Order-MOQ 25 Cases

Wt. Cube Count 24 lbs. 2.83 500 ea.

Feeding Program Trays - Ovenable

FINA Food Trays



Oval and round ovenable tray versions are available on request. Minimum pallet orders required





2642 28.7 oz. Capacity **One Compartment CPET Tray** Size: 8-1/2" L x 6-1/2" W x 1-1/2" D Colors: Black, White

Count 22 lbs. 252 ea.



15.9 oz./4.1 oz./4.1 oz. Capacity **Three Compartment CPET Tray** Size: 8-1/2" L x 6-1/2" W x 1-1/2" D

Colors: Black, White

Wt. Count 19 lbs. 240 ea.



38.9 oz. Capacity **One Compartment CPET Tray** Size: 8-1/2" L x 6-1/2" W x 1-7/8" D Colors: Black, White

Wt. Count 17 lbs. 252 ea.



19.8 oz./5.1 oz./5.1 oz. Capacity **Three Compartment CPET Tray** Size: 8-1/2" L x 6-1/2" W x 1-7/8" D Colors: Black, White

Wt. Count 22 lbs. 252 ea.



13.5 oz./18.3 oz. Capacity **Two Compartment CPET Tray**

Size: 8-1/2" L x 6-1/2" W x 1-1/2" D Colors: Black, White

Wt. Count 22 lbs. 252 ea.



11.8 oz./5.1 oz./5.1 oz. Capacity **Three Compartment CPET Tray**

Size: 8-1/2" L x 6-1/2" W x 1-1/2" D Colors: Black, White

Wt. Count 20 lbs. 240 ea.



16.9 oz./23.7 oz. Capacity **Two Compartment CPET Tray** Size: 8-1/2" L x 6-1/2" W x 2" D

Colors: Black, White

Wt. Count 23 lbs. 252 ea.



13.5 oz./6.8 oz./6.8 oz. Capacity **Three Compartment CPET Tray** Size: 8-1/2" L x 6-1/2" W x 1-7/8" D

Colors: Black, White

Count 29 lbs. 345 ea.



Film Sealable Sandwich & Hot Dog Hoagie Trays

FINA Food Trays



V3

Medium Sandwich Wedge

Size: 6-1/2" L x 3-1/4" W x 3-1/8" D Colors: Black, Opaque, Clear Stocked

Special Order-MOQ 25 Cases (Black) Special Order-MOQ 300 Cases (Opaque)

Wt. Cube Count 19 lbs. 2.72 1000 ea.



W101

Large Sandwich Wedge

Size: 6-1/2" L x 3-1/2" W x 3-1/16" D Colors: Black , Opaque

Wt. Cube Count 19 lbs. 2.72 1000 ea.



НЗ

Hot Dog Tray

Size: 6-5/8" L x 3-1/4" W x 2" D

Colors: Clear

Wt. Cube Count 19 lbs. 4.12 1000 ea.



H103

Hot Dog/ Hoagie Tray

Size: 6-5/8" L x 3-5/8" W x 2-3/16" D

Colors: Clear

Wt. Cube Count 19 lbs. 3.94 1000 ea.



U17

Hot Dog/ Hoagie Tray

Size: 6-5/8" L x 3-5/8" W x 2-1/2" D

Colors: Clear

Special Order-MOQ 50 Cases

Wt. Cube Count 18 lbs. 3.99 1000 ea.

Large Entrée Platters



P5R SALAD INSERT*

Five Cell Condiment Insert for P5 Platter

Size: 8-1/2" L x 5" W x 1-1/16" D

Colors: Clear

Special Order-MOQ 50 Cases

Wt. Cube Count 15 lbs. 2.44 500 ea.



P1R

One Compartment Entrée Platter

Size: 9-1/4" L x 5-3/4" W x 1-11/16" D

Colors: Clear

Wt. Cube Count 18 lbs. 2.51 500 ea.



P3-LS*

Three Compartment Entrée Platter

Size: 9-1/4" L x 5-3/4" W x 1-11/16" D

Colors: Clear

Special Order-MOQ 100 Cases

Wt. Cube Count 18 lbs. 2.50 500 ea.



P2-LS

Two Compartment Entrée Platter

Size: 9-1/4" L x 5-3/4" W x 1-11/16" D

Colors: Clear

Wt. Cube Count 18 lbs. 2.51 500 ea.



P5*

One Compartment "Deep" Entrée Platter

Size: 9-1/4" L x 5-3/4" W x 2-3/4" D

Colors: Clear

Special Order-MOQ 50 Cases

Wt. Cube Count 21 lbs. 4.22 500 ea.

Large Entrée Platters



P1R-MW (High Heat) **One Compartment Entrée Platter**

Size: 9-1/4" L x 5-3/4" W x 1-11/16" D Colors: Black - Microwavable

Wt. Cube Count 13 lbs. 2.35 250 ea.



P2R-MW (High Heat)

Two Compartment Entrée Platter Size: 9-1/4" L x 5-3/4" W x 1-11/16" D

Colors: Black - Microwavable

Wt. Cube Count 13 lbs. 2.00 250 ea.



P3R-MW (High Heat)

Three Compartment Entrée Platter

Size: 9-1/4" L x 5-3/4" W x 1-11/16" D Colors: Black - Microwavable

Special Order-MOQ 250 Cases

\//t Cube Count 13 lbs. 2.35 250 ea.



P5R-MW* DEEP (High Heat) **One Compartment Entrée Platter**

Size: 9-1/4" L x 5-3/4" W x 3-1/2" D Colors: Black - Microwavable

Special Order-MOQ 25 Cases

Wt. Cube Count 21 lbs. 2.72 250 ea.





Size: 9-1/4" L x 5-3/4" W x 2-1/2" D Colors: Black - Microwavable

Special Order-MOQ 25 Cases

Cube Count 11 lbs. 1.90 250 ea.



P2.5R-MW (High Heat)

Two Compartment Entrée Platter Size: 9-1/4" L x 5-3/4" W x 2-3/8" D

Colors: Black - Microwavable

Special Order-MOQ 25 Cases

Wt. Cube Count 13 lbs. 250 ea. 2.00



P3.5R-MW (High Heat) **Three Compartment Entrée Platter**

Size: 9-1/4" L x 5-3/4" W x 2-3/8" D Colors: Black - Microwavable

Special Order-MOQ 25 Cases

Wt. Cube Count 12 lbs. 1.9 250 ea.







912-MW/ L900-AF* Combo (High Heat) 12 oz. Casserole Container

Size: Bowl - 8-1/8" L x 5-1/2" W x 1-1/4" D Lid-8-5/8" L x 5-3/4" W x 9/16" D

Special Order-MOQ 50 Cases

Wt. Cube Count 9 lbs. 1.37 250 ea.





Medium Entrée Platter & Lid

MP16-MW* (High Heat) 16 oz. Medium Entrée Platter Size: 7-1/2" L x 5-3/4" W x 1-3/8" D Lid - 7-3/4" L x 6" W x 7/8" D

Special Order-MOQ 50 Cases

Cube Count 17 lbs. 500 ea. 2.40



HS30 Manual Heat Sealer

Compact yet durable, the HS30 sealing machine is built for versatility and efficiency—making it a valuable asset to your kitchen for years to come.

- Can seal a wide variety of containers sizes/shapes
- · Capable of sealing up to 10 containers per minute
- Open access to film roll for fast and easy changes
- · Heavy duty aircraft aluminum seal pocket
- Digital heat controller
- Utilizes up to 5,000' rolls of film
- Machine weight 35 lbs.



This low cost machine offers a fast and effective solution for sealing heat sensitive film to a wide variety of containers, for a tamper-evident, stay-fresh seal. Included with the machine is one set of three seal plates, allowing pre-loading of the third plate while the other two plates are cycling through the machine.

Versatile

- Large variety of seal plates available as well as custom sizes
- Seals containers up to 4" in depth
- Seals 16 trays per minute or more depending on tray size
- Swing-out arm for fast and safe change of film rolls
- Quick release film collars require no additional tools to remove


Heavy Duty Construction

5" high, "C" channel rails with the top of the rail completely covered in stainless steel. Heater guards open on both sides for easy cleaning and are cool to the touch. Plug in heater wiring make roller replacement a snap.

Optional HS48 Slitter and Rolling Cart (Inset)

The in-line film slitter will reduce your production time by 30% when sealing 3-across tray production (D74 and H1 seal plates). Easily attaches to the side rails and comes with quick disconnect latch clips. Uses standard hardware triangle blades.

Ask about our no-obligation trial on the HS30 and HS48 Manual Heat Seal Machine





OMNI IDX140SE Automatic Heat Sealer

Our IDX140SE is designed to seal heat sensitive film to plastic or paper containers for a tamper evident, stay fresh seal. The machine utilizes a mechanical platen style seal head, interchangeable pockets and rotating cutter.

Standard Features


- Platen Head vs Seal Roller
- Seal area comparison
- Stainless steel construction
- Intermittent motion pocket conveyor
- Adjustable dwell time seal head produces superior seals at high production speeds
- Wash down safe
- Variable speed
- Universal exit ramp
- Allen-Bradley PLC Controller
- T-Gasket seal pockets
- Air driven or electric seal head for superior seal strength
- Able to seal trays with multiple cutoff lengths

Optional Features

- Custom lengths and widths available
- In-line film printer/coder









OMNI IDX280-DL Automatic Heat Sealer



Standard Features

- Brushed finished stainless steel construction for low maintenance and easy cleaning
- Intermittent motion pocket conveyor with adjustable dwell time
- Universal adjustable dual-lane tray exit ramps
- "Platen" style seal head makes contact with entire sealing surface of the tray, works on molded
- · paper or plastic trays, even trays with turned up seal flanges
- Variable speed control; .05 secs to 3.0 sec.
- One touch film holder assembly, holds 2 film rolls at once
- Allen-Bradley programmable controller
- Dual-lane T-gasket seal pockets for trays up to 5.25" wide
- Electrical control box meets N.E.M.A. 4X electrical standards for "wash down" safe
- No tools needed to change from one tray size to another

Optional Features

- Dual-lane automatic fruit filler at over 3,000 sealed trays per hour
- In-line film printer/coder, add a code date for local health compliance
- Auto tray de-nester
- Touch screen control panel
- Servo motor for smooth, precise operations, ideal for liquids or using registered print films
- Radius cutter for perimeter trimming on round, oval or rounded corner trays

Custom lengths and widths made to your specifications. Multi-lane platforms are available on all IDX units.



Standard Control Panel



Optional Touch Screen Control Panel

OMNI THF3000 Automatic Hot or Cold Filler


Omni "Twin Head Filler" systems are designed to work in conjunction with automatic heat seal packaging machines to automate the filling and heat sealing of items such as fruit cocktail, sliced peaches or pears, applesauce, oatmeal, grits, melted cheese and other flowing products. The OMNI THF is an ideal way to speed up production while minimizing your labor during food service production.

Standard Features

- Brushed stainless steel construction, 1-1/2" x 1-1/2" tubular frame
- A tank "agitator" provides constant mixing within the holding hopper to ensure an even distribution of dispensed food products
- Waukesha valves allows you to dispenses both "hot & cold" food products without changing out the valves
- Variable speed control 25 to 30 cycles per min. per lane
- Standard filling range is 2 oz. to 12 oz. fill, optional cylinders will allow fill up to 36 oz.
- Select from manual fill to automatic fill via signal from OMNI IDX heat seal machine, automatically fills on stop
- Select single lane or dual lane tray filling
- Complete filler assembly is easily disassembled without tools for easy cleaning
- Wash down safe electrical control box
- Stainless steel locking caster wheels and quick disconnect locking pins allow easy separation of the THF Filler from the sealing machine for easy cleaning



OMNI Denester



Omni IDX Denester systems are designed to work in conjunction with OMNI IDX automatic heat seal packaging machines offering a safe ideal way to automatically drop a specifically sized tray into the seal pockets of the heat seal packaging machine to speed up production and reduce your labor force during food service production.

Standard Features

- Stainless steel construction and aluminum frame construction for easy cleaning
- Stainless steel wafers that separate the trays
- Rack & pinion gears rotate the separator wafers to denest the stacked trays
- Stainless steel kickers added to wafers give an extra push to separate the trays so they easily drop into the seal pockets
- 2 air lines connect the denester to the air supply of the IDX Heat Seal Machine for operation
- Quick disconnects on the air lines make changing out the denester quick and easy



OMNI FC1200 Production Conveyor

Omni Conveyor Systems are designed to work in conjunction with automatic heat seal packaging machines offering a safe, ideal method to station your labor force during food service production.

Standard Features

- · Stainless steel construction
- Available in 10, 12 & 16 foot lengths
- Variable conveyor speed control
- 12" wide flat food grade rubber belt
- Start/Stop button, plus up to 3 additional stop buttons
- Quick release belt tension control
- Wash down safe electrical control box
- Adjustable height frame
- Stainless steel locking caster wheels



OMNI-RA36/48S Rotating Accumulator Table

Powered accumulator systems are designed to work in conjunction with automatic heat seal packaging machines offering additional space for finished sealed trays to come off the line. Available in 3' and 4' diameter turntables, Accumulator Tables assist your staff during the sorting and packing of sealed trays into the transit cabinets or tubs.

- Rugged, heavy duty construction
- Stainless steel construction
- Variable speed control
- 4" deep tub, rated to handle up to 300 lbs.
- Leg levelers that will adjust from 28" to 32" in height





In-Line Transfer Printer

A superior thermal transfer coding solution for flexible packaging applications that demand high performance, ultrafast throughput, and coding flexibility.

- Advanced coder software virtually eliminates set-up errors
- Simple message selection reduces the potential for operator errors
- Range of customer selectable rules and permissions that help to prevent operator error with the printed code

Printing Capabilities


Full downloadable font support using TrueType® fonts (including multiple languages and Unicode support); fixed, variable and merged text fields; flexible date/time formats; flexible shift code formats; auto best before date calculations and concession management; calendar rules; auto incrementing decrementing text, counters and bar codes; multiple graphic formats supported (up to maximum print area); link fields to databases; scalable text and text blocks

Bar Codes

EAN 8, EAN 13, UPC-A, UPC-E, Code 39, EAN 128, Code 128, ITF, RSS (including 2D composite codes); others available upon request

Operator Interface

WYSIWYG print preview





In-Line Date Coder

Using Hewlett Packard technology this printer will print two lines of high resolution print characters.

- Software comes with one font style in character print heights of 1/2" to 7/32"
- Create logos in any graphic program capable of producing 2-bit black and white logos
- Produce product date coding













nor_sales@cpflexpack.com 770.416.0088

5903 Peachtree Industrial Blvd. Norcross, GA 30092 www.prefpkg.com







Preferred Packaging is a manufacturer of multilayer flexible films, thermoformed containers and a supplier of tray sealing equipment for meal solution providers and school systems.